




BOSCH



GLL100-40G

**Green-Beam Self-Leveling
Cross-Line Laser**

Bright Green Beams
Visimax™ Technology



GREEN-BEAM SELF-LEVELING CROSS-LINE LASER



GLL100-40G

EASY-TO-USE LINE LASER

Facilitates quick job setup with a range up to 100 Ft. with vertical, horizontal and cross-line modes

JOBSITE TOUGH CONSTRUCTION

Withstands rainy or dusty jobsite conditions, and is IP64 rated



SMART PENDULUM SYSTEM

Allows tool to self-level, and it indicates out-of-level condition

VERSATILE JOB LAYOUT

Lines can be projected separately or together for a variety of level and alignment applications

BRIGHT GREEN-BEAM LASER

Up to 4× brighter than standard red beams

BUILT-IN VISIMAX™ TECHNOLOGY

Monitors power consumption to maximize line visibility and extend battery life

EASY-TO-USE LASER SETUP MODES

Controls vertical and horizontal cross-lines

SECURE LASER TRANSPORT

After switching off, pendulum is locked

FULL RUBBER OVERMOLD HOUSING

Helps protect every major impact point, with a design similar to a roll cage

LB10 L-BRACKET

Provides fast setup, extra-strong magnets





Specifications

Visible Line Range	100 ft.
Line Accuracy	1/8" at 30 ft.
Operating Temperature	14° F–22° F (-10° C–50° C)
Power Source	(4) AA Batteries
Mounting Thread	1/4"-20
IP Rating	IP 64
Drop Resistance Rating	1m
Dimensions	5" x 2.5" x 4.5"
Weight (Bare Tool)	1.26 lbs.

Includes

GLL100-40G Green-Beam Self-Leveling Cross-Line Laser **GLL100-40G**, L-Bracket **LB10**, Ceiling Clip **DK10**, (4) AA Batteries, Hard Carry Case



Robert Bosch Tool Corporation

1800 W. Central Rd.
Mount Prospect, IL 60056
www.boschtools.com

2020-089